The Journal of Cell Biology

Volume 137, 1997

Published biweekly by
The Rockefeller University Press
Copyediting and Production
Lauren Gold, Justin Collins,
and Leslie M. Thomas

Editor-in-Chief

Norton B. Gilula

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Richard G.W. Anderson
Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
John Cooper
Caroline Damsky
Elisabetta Dejana
David J. DeRosier
David Drubin
Scott Emr
Larry Gerace
Hans Geuze
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Alan F. Horwitz
Keith Joiner
Hynda Kleinman
Stanley J. Korsmeyer
Arthur D. Lander
Jeanne Lawrence
Susan Lindquist
Joan Massague
Jacopo Meldolesi
Ira Mellman
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
W. James Nelson
Eric N. Olsen
Suzanne Pfeffer
Mu-ming Poo
Natasha V. Raikhel
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Sandra Schmid
Trina Schroer
Jean Schwarzbauer
Victor Small
Paul W. Sternberg
Murray Stewart
Graham Warren

Copyright © 1997 by The Rockefeller University Press

Contents:

Volume 137, Number 1, April 7, 1997

Mini-review

1 **Loss, restoration, and maintenance of plasma membrane integrity.**
P.L. McNeil and R.A. Steinhardt

Regular Articles

5 **Telomeres cluster de novo before the initiation of synapsis: A three-dimensional spatial analysis of telomere positions before and during meiotic prophase.**
H.W. Bass, W.F. Marshall, J.W. Sedat, D.A. Agard, and W.Z. Cande

19 **High mobility group 1 protein is not stably associated with the chromosomes of somatic cells.**
L. Falciola, F. Spada, S. Calogero, G. Längst, R. Voit, I. Grummt, and M.E. Bianchi

27 **A role for the M9 transport signal of hnRNP A1 in mRNA nuclear export.**
E. Izaurralde, A. Jarmolowski, C. Beisel, I.W. Mattaj, G. Dreyfuss, and U. Fischer

37 **Chromatin degradation in differentiating fiber cells of the eye lens.**
S. Bassnett and D. Mataic

51 **Ii chain controls the transport of major histocompatibility complex class II molecules to and from lysosomes.**
V. Brachet, G. Raposo, S. Amigorena, and I. Mellman

67 **Expression of matrix metalloproteinases during rat skin wound healing: Evidence that membrane type-1 matrix metalloproteinase is a stromal activator of pro-gelatinase A.**
A. Okada, C. Tomasetto, Y. Lutz, J.-P. Bellocq, M.-C. Rio, and P. Basset

79 **Endosome to Golgi retrieval of the vacuolar protein sorting receptor, Vsp10p, requires the function of the *VPS29*, *VPS30*, and *VPS35* gene products.**
M.N.J. Seaman, E.G. Marcusson, J.L. Cereghino, and S.D. Emr

93 **Lysosomes behave as Ca^{2+}-regulated exocytic vesicles in fibroblasts and epithelial cells.**
A. Rodríguez, P. Webster, J. Ortego, and N.W. Andrews

105 **A role for the disintegrin domain of cyritestin, a sperm surface protein belonging to the ADAM family, in mouse sperm–egg plasma membrane adhesion and fusion.**
R. Yuan, P. Primakoff, and D.G. Myles

113 **Molecular requirements for bi-directional movement of phagosomes along microtubules.**
A. Blocker, F.F. Severin, J.K. Burkhardt, J.B. Bingham, H. Yu, J.-C. Olivo, T.A. Schroer, A.A. Hyman, and G. Griffiths

131 **Point mutations in human β cardiac myosin heavy chain have differential effects on sarcomeric structure and assembly: An ATP binding site change disrupts both thick and thin filaments, whereas hypertrophic cardiomyopathy mutations display normal assembly.**
K.D. Becker, K.R. Gottshall, R. Hickey, J.-C. Perriard, and K.R. Chien

141 **The yeast gene, *MDM20*, is necessary for mitochondrial inheritance and organization of the actin cytoskeleton.**
G.J. Hermann, E.J. King, and J.M. Shaw

155 **The isolated comet tail pseudopodium of *Listeria monocytogenes*: A tail of two actin filament populations, long and axial and short and random.**
A.S. Sechi, J. Wehland, and J.V. Small

169 **cdc12p, a protein required for cytokinesis in fission yeast, is a component of the cell division ring and interacts with profilin.**
F. Chang, D. Drubin, and P. Nurse

183 **A role for Cdk2 kinase in negatively regulating DNA replication during S phase of the cell cycle.**
X.H. Hua, H. Yan, and J. Newport

193 **Centrosomes isolated from *Spisula solidissima* oocytes contain rings and an unusual stoichiometric ratio of α/β tubulin.**
J.M. Vogel, T. Stearns, C.L. Rieder, and R.E. Palazzo

203 **A mitosis-specific phosphorylation of the gap junction protein connexin43 in human vascular cells: Biochemical characterization and localization.**
H.-q. Xie, D.W. Laird, T.-H. Chang, and V.W. Hu

211 **Axonal neuregulin signals cells of the oligodendrocyte lineage through activation of HER4 and Schwann cells through HER2 and HER3.**
T. Vartanian, A. Goodearl, A. Viehöver, and G. Fischbach

221 **Interleukin 1β-converting enzyme related proteases/caspases are involved in TRAIL-induced apoptosis of myeloma and leukemia cells.**
S.M. Mariani, B. Matiba, E.A. Armandola, and P.H. Krammer

231 **Reversion of the malignant phenotype of human breast cells in three-dimensional culture and in vivo by integrin blocking antibodies.**
V.M. Weaver, O.W. Petersen, F. Wang, C.A. Larabell, P. Briand, C. Damsky, and M.J. Bissell

247 **Substrate recognition by osteoclast precursors induces c-src/microtubule association.**
Y. Abu-Amer, F.P. Ross, P. Schlesinger, M.M. Tondravi, and S.L. Teitelbaum

259 ADDITIONS AND CORRECTIONS

261 ADDITIONS AND CORRECTIONS

Volume 137, Number 2, April 21, 1997

263 **Components of the human SWI/SNF complex are enriched in active chromatin and are associated with the nuclear matrix.**
J.C. Reyes, C. Muchardt, and M. Yaniv

275 **Structural protein 4.1 in the nucleus of human cells: Dynamic rearrangements during cell division.**
S.W. Krauss, C.A. Larabell, S. Lockett, P. Gascard, S. Penman, N. Mohandas, and J.A. Chasis

291 **The dynamic nuclear redistribution of an hnRNP K-homologous protein during *Drosophila* embryo development and heat shock. Flexibility of transcription sites in vivo.**
P. Buchenau, H. Saumweber, and D.J. Arndt-Jovin

305 **Assembly and intracellular targeting of the βγ subunits of heterotrimeric G proteins.**
A. Rehm and H.L. Ploegh

319 **Dissociation of coatomer from membranes is required for brefeldin A–induced transfer of Golgi enzymes to the endoplasmic reticulum.**
J. Scheel, R. Pepperkok, M. Lowe, G. Griffiths, and T.E. Kreis

335 **Mannose 6-phosphate receptors regulate the formation of clathrin-coated vesicles in the TGN.**
R. Le Borgne and B. Hoflack

347 **Segregation of glucosylceramide and sphingomyelin occurs in the apical to basolateral transcytotic route in HepG2 cells.**
S.C.D. van IJzendoorn, M.M.P. Zegers, J.W. Kok, and D. Hoekstra

359 **The apical submembrane cytoskeleton participates in the organization of the apical pole in epithelial cells.**
P.J.I. Salas, M.L. Rodriguez, A.L. Viciana, D.E. Vega-Salas, and H.-P. Hauri

377 **Tim23, a protein import component of the mitochondrial inner membrane, is required for normal activity of the multiple conductance channel, MCC.**
T.A. Lohret, R.E. Jensen, and K.W. Kinnally

387 **Regulated membrane localization of Tiam1, mediated by the NH_2-terminal pleckstrin homology domain, is required for Rac-dependent membrane ruffling and c-Jun NH_2-terminal kinase activation.**
F. Michiels, J.C. Stam, P.L. Hordijk, R.A. van der Kammen, L. Ruuls-Van Stalle, C.A. Feltkamp, and J.G. Collard

399 **High rates of actin filament turnover in budding yeast and roles for actin in establishment and maintenance of cell polarity revealed using the actin inhibitor latrunculin-A.**
K.R. Ayscough, J. Stryker, N. Pokala, M. Sanders, P. Crews, and D.G. Drubin

417 **The *Saccharomyces cerevisiae* kinesin-related motor Kar3p acts at preanaphase spindle poles to limit the number and length of cytoplasmic microtubules.**
W. Saunders, D. Hornack, V. Lengyel, and C. Deng

433 **A role for mitogen-activated protein kinase in the spindle assembly checkpoint in XTC cells.**
X.M. Wang, Y. Zhai, and J.E. Ferrell, Jr.

445 **Synaptic-like microvesicles of neuroendocrine cells originate from a novel compartment that is continuous with the plasma membrane and devoid of transferrin receptor.**
A. Schmidt, M.J. Hannah, and W.B. Huttner

459 **Differentiation and death of premyelinating oligodendrocytes in developing rodent brain.**
B.D. Trapp, A. Nishiyama, D. Cheng, and W. Macklin

469 **Processing/activation of at least four interleukin-1β converting enzyme–like proteases occurs during the execution phase of apoptosis in human monocytic tumor cells.**
M. MacFarlane, K. Cain, X.-M. Sun, E.S. Alnemri, and G.M. Cohen

481 **Regulation of cell motility by mitogen-activated protein kinase.**
R.L. Klemke, S. Cai, A.L. Giannini, P.J. Gallagher, P. de Lanerolle, and D.A. Cheresh

493 **ICAMs redistributed by chemokines to cellular uropods as a mechanism for recruitment of T lymphocytes.**
M.A. del Pozo, C. Cabañas, M.C. Montoya, A. Ager, P. Sánchez-Mateos, and F. Sánchez-Madrid

509 **Isolated P-selectin glycoprotein ligand-1 dynamic adhesion to P- and E-selectin.**
D.J. Goetz, D.M. Greif, H. Ding, R.T. Camphausen, S. Howes, K.M. Comess, K.R. Snapp, G.S. Kansas, and F.W. Luscinskas

521 **ADDITIONS AND CORRECTIONS**

Volume 137, Number 3, May 5, 1997

523 **Subnuclear trafficking of glucocorticoid receptors in vitro: Chromatin recycling and nuclear export.**
J. Yang, J. Liu, and D.B. DeFranco

539 **A proteasome cap subunit required for spindle pole body duplication in yeast.**
H.B. McDonald and B. Byers

555 **Multiple determinants direct the orientation of signal–anchor proteins: The topogenic role of the hydrophobic signal domain.**
J.M. Wahlberg and M. Spiess

563 **Two new Ypt GTPases are required for exit from the yeast *trans*-Golgi compartment.**
G. Jedd, J. Mulholland, and N. Segev

581 **p53/58 binds COPI and is required for selective transport through the early secretory pathway.**
E.J. Tisdale, H. Plutner, J. Matteson, and W.E. Balch

595 **Differential sorting of lysosomal enzymes out of the regulated secretory pathway in pancreatic β-cells.**
R. Kuliawat, J. Klumperman, T. Ludwig, and P. Arvan

609 **Transport of a large oligomeric protein by the cytoplasm to vacuole protein targeting pathway.**
J. Kim, S.V. Scott, M.N. Oda, and D.J. Klionsky

619 **Transmembrane domain sequence requirements for activation of the $p185^{c\text{-}neu}$ receptor tyrosine kinase.**
L.I. Chen, M.K. Webster, A.N. Meyer, and D.J. Donoghue

633 **Mitochondrial regulation of store-operated calcium signaling in T lymphocytes.**
M. Hoth, C.M. Fanger, and R.S. Lewis

649 ***Chlamydomonas* inner-arm dynein mutant, *ida5*, has a mutation in an actin-encoding gene.**
T. Kato-Minoura, M. Hirono, and R. Kamiya

657 **An unexpected localization of basonuclin in the centrosome, mitochondria, and acrosome of developing spermatids.**
Z.-h. Yang, G.I. Gallicano, Q.-C. Yu, and E. Fuchs

671 **Agrin binds to the nerve–muscle basal lamina via laminin.**
A.J. Denzer, R. Brandenberger, M. Gesemann, M. Chiquet, and M.A. Ruegg

685 **The laminin α chains: Expression, developmental transitions, and chromosomal locations of α1-5, identification of heterotrimeric laminins 8–11, and cloning of a novel α3 isoform.**
J.H. Miner, B.L. Patton, S.L. Lentz, D.J. Gilbert, W.D. Snider, N.A. Jenkins, N.G. Copeland, and J.R. Sanes

703 **Tyrosine phosphorylation at a site highly conserved in the L1 family of cell adhesion molecules abolishes ankyrin binding and increases lateral mobility of neurofascin.**
T.D. Garver, Q. Ren, S. Tuvia, and V. Bennett

715 **Specific uptake of tumor necrosis factor-α is involved in growth control of *Trypanosoma brucei*.**
S. Magez, M. Geuskens, A. Beschin, H. del Favero, H. Verschueren, R. Lucas, E. Pays, and P. de Baetselier

729 **α3β1 integrin is required for normal development of the epidermal basement membrane.**
C.M. DiPersio, K.M. Hodivala-Dilke, R. Jaenisch, J.A. Kreidberg, and R.O. Hynes

743 **Expression of a P-selectin ligand in zona pellucida of porcine oocytes and P-selectin on acrosomal membrane of porcine sperm cells. Potential implications for their involvement in sperm–egg interactions.**
J.-G. Geng, T.J. Raub, C.A. Baker, G.A. Sawada, L. Ma, and Å.P. Elhammer

755 **Tenascin supports lymphocyte rolling.**
R.A. Clark, H.P. Erickson, and T.A. Springer

767 **Reduction in surface urokinase receptor forces malignant cells into a protracted state of dormancy.**
W. Yu, J. Kim, and L. Ossowski

779 **Phosphorylation of human pro-urokinase on ser$^{138/303}$ impairs its receptor-dependent ability to promote myelomonocytic adherence and motility.**
P. Franco, C. Iaccarino, F. Chiaradonna, A. Brandazza, C. Iavarone, M.R. Mastronicola, M.L. Nolli, and M.P. Stoppelli

Volume 137, Number 4, May 19, 1997

Mini-review

793 **Deciphering the function of neurexins at cellular junctions.**
J.T. Littleton, M.A. Bhat, and H.J. Bellen

Regular Articles

797 **A nuclear export signal in Kap95p is required for both recycling the import factor and interaction with the nucleoporin GLFG repeat regions of Nup116p and Nup100p.**
M.K. Iovine and S.R. Wente

813 **The Hsp70 homologue Lhs1p is involved in a novel function of the yeast endoplasmic reticulum, refolding and stabilization of heat-denatured protein aggregates.**
N. Saris, H. Holkeri, R.A. Craven, C.J. Stirling, and M. Makarow

825 **An intralysosomal hsp70 is required for a selective pathway of lysosomal protein degradation.**
F.A. Agarraberes, S.R. Terlecky, and J.F. Dice

835 **Characterization of the adaptor-related protein complex, AP-3.**
F. Simpson, A.A. Peden, L. Christopoulou, and M.S. Robinson

847 **Connexin46 is retained as monomers in a *trans*-Golgi compartment of osteoblastic cells.**
M. Koval, J.E. Harley, E. Hick, and T.H. Steinberg

859 **Coordinated incorporation of skeletal muscle dihydropyridine receptors and ryanodine receptors in peripheral couplings of BC_3H1 cells.**
F. Protasi, C. Franzini-Armstrong, and B.E. Flucher

871 **mRNAs for microtubule proteins are specifically colocalized during the sequential formation of basal body, flagella, and cytoskeletal microtubules in the differentiation of *Naegleria gruberi*.**
J.W. Han, J.H. Park, M. Kim, and J. Lee

881 **The *Drosophila* gene *abnormal spindle* encodes a novel microtubule-associated protein that associates with the polar regions of the mitotic spindle.**
R.D.C. Saunders, M. do Carmo Avides, T. Howard, C. Gonzalez, and D.M. Glover

891 ***Dictyostelium* IQGAP-related protein specifically involved in the completion of cytokinesis.**
H. Adachi, Y. Takahashi, T. Hasebe, M. Shirouzu, S. Yokoyama, and K. Sutoh

899 **A glycine-rich RNA-binding protein mediating cold-inducible suppression of mammalian cell growth.**
H. Nishiyama, K. Itoh, Y. Kaneko, M. Kishishita, O. Yoshida, and J. Fujita

909 **Androgen ablation leads to an upregulation and intranuclear accumulation of deoxyribonuclease I in rat prostate epithelial cells paralleling their apoptotic elimination.**
F. Rauch, B. Polzar, H. Stephan, S. Zanotti, R. Paddenberg, and H.G. Mannherz

925 **Identification of a novel marker for primordial smooth muscle and its differential expression pattern in contractile vs noncontractile cells.**
J.E. Hungerford, J.P. Hoeffler, C.W. Bowers, L.M. Dahm, R. Falchetto, J. Shabanowitz, D.F. Hunt, and C.D. Little

939 **Carcinoembryonic antigen, a human tumor marker, cooperates with Myc and Bcl-2 in cellular transformation.**
R.A. Screaton, L.Z. Penn, and C.P. Stanners

953 **Polyoma middle T-induced vascular tumor formation: The role of the plasminogen activator/plasmin system.**
K.T. Sabapathy, M.S. Pepper, F. Kiefer, U. Möhle-Steinlein, F. Tacchini-Cottier, I. Fetka, G. Breier, W. Risau, P. Carmeliet, R. Montesano, and E.F. Wagner

Volume 137, Number 5, June 2, 1997

965 **The dynamic organization of the perinucleolar compartment in the cell nucleus.**
S. Huang, T.J. Deerinck, M.H. Ellisman, and D.L. Spector

975 **Targeting of U2AF^{65} to sites of active splicing in the nucleus.**
M. Gama-Carvalho, R.D. Krauss, L. Chiang, J. Valcárcel, M.R. Green, and M. Carmo-Fonseca

989 **Nup84, a novel nucleoporin that is associated with CAN/Nup214 on the cytoplasmic face of the nuclear pore complex.**
R. Bastos, L.R. de Pouplana, M. Enarson, K. Bodoor, and B. Burke

1001 **Insertional mutation of the *Drosophila* nuclear lamin Dm_0 gene results in defective nuclear envelopes, clustering of nuclear pore complexes, and accumulation of annulate lamellae.**
B. Lenz-Böhme, J. Wismar, S. Fuchs, R. Reifegerste, E. Buchner, H. Betz, and B. Schmitt

1017 **ERS-24, a mammalian v-SNARE implicated in vesicle traffic between the ER and the Golgi.**
I. Paek, L. Orci, M. Ravazzola, H. Erdjument-Bromage, M. Amherdt, P. Tempst, T.H. Söllner, and J.E. Rothman

1029 **Intrinsic signals in the unique domain target p56^{lck} to the plasma membrane independently of CD4.**
M.-J.J.E. Bijlmakers, M. Isobe-Nakamura, L.J. Ruddock, and M. Marsh

1041 **Structural features of membrane fusion between influenza virus and liposome as revealed by quick-freezing electron microscopy.**
T. Kanaseki, K. Kawasaki, M. Murata, Y. Ikeuchi, and S. Ohnishi

1057 **A natural hepatocyte growth factor/scatter factor autocrine loop in myoblast cells and the effect of the constitutive *met* kinase activation on myogenic differentiation.**
S. Anastasi, S. Giordano, O. Sthandier, G. Gambarotta, R. Maione, P. Comoglio, and P. Amati

1069 **The *Chlamydomonas reinhardtii ODA3* gene encodes a protein of the outer dynein arm docking complex.**
A. Koutoulis, G.J. Pazour, C.G. Wilkerson, K. Inaba, H. Sheng, S. Takada, and G.B. Witman

1081 **A *Chlamydomonas* homologue of the putative murine *t* complex distorter Tctex-2 is an outer arm dynein light chain.**
R.S. Patel-King, S.E. Benashski, A. Harrison, and S.M. King

1091 **Targeted disruption of the pemphigus vulgaris antigen (desmoglein 3) gene in mice causes loss of keratinocyte cell adhesion with a phenotype similar to pemphigus vulgaris.**
P.J. Koch, M.G. Mahoney, H. Ishikawa, L. Pulkkinen, J. Uitto, L. Shultz, G.F. Murphy, D. Whitaker-Menezes, and J.R. Stanley

1103 **Protein kinase C activation upregulates intercellular adhesion of α-catenin–negative human colon cancer cell variants via induction of desmosomes.**
J. van Hengel, L. Gohon, E. Bruyneel, S. Vermeulen, M. Cornelissen, M. Mareel, and F. van Roy

1117 **Temporal phases in apoptosis defined by the actions of Src homology 2 domains, ceramide, Bcl-2, interleukin-1β converting enzyme family proteases, and a dense membrane fraction.**
D.M. Farschon, C. Couture, T. Mustelin, and D.D. Newmeyer

1127 **Phosphatidylinositol 3-kinase is a negative regulator of cellular differentiation.**
A. Ptasznik, G.M. Beattie, M.I. Mally, V. Cirulli, A. Lopez, and A. Hayek

1137 **An essential role for CD44 variant isoforms in epidermal Langerhans cell and blood dendritic cell function.**
J.M. Weiss, J. Sleeman, A.C. Renkl, H. Dittmar, C.C. Termeer, S. Taxis, N. Howells, M. Hofmann, G. Köhler, E. Schöpf, H. Ponta, P. Herrlich, and J.C. Simon

1149 **Regulated production of mineralization-competent matrix vesicles in hypertrophic chondrocytes.**
T. Kirsch, H.-D. Nah, I.M. Shapiro, and M. Pacifici

1161 **Different steady state subcellular distributions of the three splice variants of lysosome-associated membrane protein LAMP-2 are determined largely by the COOH-terminal amino acid residue.**
N.R. Gough and D.M. Fambrough

1171 **Type IV collagen is detectable in most, but not all, basement membranes of *Caenorhabditis elegans* and assembles on tissues that do not express it.**
P.L. Graham, J.J. Johnson, S. Wang, M.H. Sibley, M.C. Gupta, and J.M. Kramer

1185 **Characterization of α1(IV) collagen mutations in *Caenorhabditis elegans* and the effects of α1 and α2(IV) mutations on type IV collagen distribution.**
M.C. Gupta, P.L. Graham, and J.M. Kramer

1197 **ADDITIONS AND CORRECTIONS**

Volume 137, Number 6, June 16, 1997

1199 **Integral membrane proteins of the nuclear envelope are dispersed throughout the endoplasmic reticulum during mitosis.**
L. Yang, T. Guan, and L. Gerace

1211 **Partitioning of the Golgi apparatus during mitosis in living HeLa cells.**
D.T. Shima, K. Haldar, R. Pepperkok, R. Watson, and G. Warren

1229 **A transfected sialyltransferase that is elevated in breast cancer and localizes to the medial/*trans*-Golgi apparatus inhibits the development of core-2–based O-glycans.**
C. Whitehouse, J. Burchell, S. Gschmeissner, I. Brockhausen, K.O. Lloyd, and J. Taylor-Papadimitriou

1243 **Glucose transporter (GLUT-4) is targeted to secretory granules in rat atrial cardiomyocytes.**
J.W. Slot, G. Garruti, S. Martin, V. Oorschot, G. Posthuma, E.W. Kraegen, R. Laybutt, G. Thibault, and D.E. James

1255 **Structural requirements for basolateral sorting of the human transferrin receptor in the biosynthetic and endocytic pathways of Madin-Darby canine kidney cells.**
G. Odorizzi and I.S. Trowbridge

1265 **Enlarged peroxisomes are present in oleic acid–grown *Yarrowia lipolytica* overexpressing the *PEX16* gene encoding an intraperoxisomal peripheral membrane peroxin.**
G.A. Eitzen, R.K. Szilard, and R.A. Rachubinski

1279 **A nuclear-coded chloroplastic inner envelope membrane protein uses a soluble sorting intermediate upon import into the organelle.**
J. Lübeck, L. Heins, and J. Soll

1287 **Unconventional myosins in inner-ear sensory epithelia.**
T. Hasson, P.G. Gillespie, J.A. Garcia, R.B. MacDonald, Y.-d. Zhao, A.G. Yee, M.S. Mooseker, and D.P. Corey

1309 **Type II myosin heavy chain encoded by the *myo2* gene composes the contractile ring during cytokinesis in *Schizosaccharomyces pombe*.**
C. Kitayama, A. Sugimoto, and M. Yamamoto

1321 **Spindle dynamics during meiosis in *Drosophila* oocytes.**
S.A. Endow and D.J. Komma

1337 **Fission yeast *dim1*$^+$ encodes a functionally conserved polypeptide essential for mitosis.**
L.D. Berry and K.L. Gould

1355 **Amphiphysin II (SH3P9; BIN1), a member of the amphiphysin/Rvs family, is concentrated in the cortical cytomatrix of axon initial segments and nodes of Ranvier in brain and around T tubules in skeletal muscle.**
M.H. Butler, C. David, G.-C. Ochoa, Z. Freyberg, L. Daniell, D. Grabs, O. Cremona, and P. De Camilli

1369 **Survival of *Trypanosoma brucei* in the tsetse fly is enhanced by the expression of specific forms of procyclin.**
S. Ruepp, A. Furger, U. Kurath, C. Kunz Renggli, A. Hemphill, R. Brun, and I. Roditi

1381 **Proteolytic pathways of activation and degradation of a bacterial phospholipase C during intracellular infection by *Listeria monocytogenes*.**
H. Marquis, H. Goldfine, and D.A. Portnoy

1393 **Possible involvement of phosphorylation of occludin in tight junction formation.**
A. Sakakibara, M. Furuse, M. Saitou, Y. Ando-Akatsuka, and S. Tsukita

1403 **The zinc-finger protein slug causes desmosome dissociation, an initial and necessary step for growth factor–induced epithelial–mesenchymal transition.**
P. Savagner, K.M. Yamada, and J.P. Thiery

1421 **The small GTPases Rho and Rac are required for the establishment of cadherin-dependent cell–cell contacts.**
V.M.M. Braga, L.M. Machesky, A. Hall, and N.A. Hotchin

1433 **Affinity modulation of platelet integrin $\alpha_{IIb}\beta_3$ by β_3-endonexin, a selective binding partner of the β_3 integrin cytoplasmic tail.**
H. Kashiwagi, M.A. Schwartz, M. Eigenthaler, K.A. Davis, M.H. Ginsberg, and S.J. Shattil

1445 **The activity of collagenase-1 is required for keratinocyte migration on a type I collagen matrix.**
B.K. Pilcher, J.A. Dumin, B.D. Sudbeck, S.M. Krane, H.G. Welgus, and W.C. Parks

Volume 137, Number 7, June 30, 1997

1459 **Chromatin dynamics in interphase nuclei and its implications for nuclear structure.**
J.R. Abney, B. Cutler, M.L. Fillbach, D. Axelrod, and B.A. Scalettar

1469 **Physiological regulation of membrane protein sorting late in the secretory pathway of *Saccharomyces cerevisiae.***
K.J. Roberg, N. Rowley, and C.A. Kaiser

1483 **The lumenal domain of sec63p stimulates the ATPase activity of BiP and mediates BiP recruitment to the translocon in *Saccharomyces cerevisiae.***
A.K. Corsi and R. Schekman

1495 **Sec2p mediates nucleotide exchange on Sec4p and is involved in polarized delivery of post-Golgi vesicles.**
C. Walch-Solimena, R.N. Collins, and P.J. Novick

1511 **The yeast v-SNARE Vti1p mediates two vesicle transport pathways through interactions with the t-SNAREs Sed5p and Pep12p.**
G. Fischer von Mollard, S.F. Nothwehr, and T.H. Stevens

1525 **The first 35 amino acids and fatty acylation sites determine the molecular targeting of endothelial nitric oxide synthase into the Golgi region of cells: A green fluorescent protein study.**
J. Liu, T.E. Hughes, and W.C. Sessa

1537 **The *Chlamydomonas* mating type plus fertilization tubule, a prototypic cell fusion organelle: Isolation, characterization, and in vitro adhesion to mating type minus gametes.**
N.F. Wilson, M.J. Foglesong, and W.J. Snell

1555 **IQGAP1, a Rac- and Cdc42-binding protein, directly binds and cross-links microfilaments.**
A.-M. Bashour, A.T. Fullerton, M.J. Hart, and G.S. Bloom

1567 **Kinetochore fiber maturation in PtK_1 cells and its implications for the mechanisms of chromosome congression and anaphase onset.**
B.F. McEwen, A.B. Heagle, G.O. Cassels, K.F. Buttle, and C.L. Rieder

1581 **Human Bcl-2 reverses survival defects in yeast lacking superoxide dismutase and delays death of wild-type yeast.**
V.D. Longo, L.M. Ellerby, D.E. Bredesen, J.S. Valentine, and E.B. Gralla

1589 **Brain myosin V is a synaptic vesicle-associated motor protein: Evidence for a Ca^{2+}-dependent interaction with the synaptobrevin–synaptophysin complex.**
R. Prekeris and D.M. Terrian

1603 **Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: Control of neuronal morphology.**
M.F.B.G. Gebbink, O. Kraneburg, M. Poland, F.P.G. van Horck, B. Houssa, and W.H. Moolenaar

1615 **Delayed development of nervous system in mice homozygous for disrupted microtubule-associated protein 1B (MAP1B) gene.**
Y. Takei, S. Kondo, A. Harada, S. Inomata, T. Noda, and N. Hirokawa

1627 **Induced expression of trimerized intracellular domains of the human tumor necrosis factor (TNF) p55 receptor elicits TNF effects.**
V. Vandevoorde, G. Haegeman, and W. Fiers

1639 **ZAP-70 protein tyrosine kinase is constitutively targeted to the T cell cortex independently of its SH2 domains.**
R.D.J. Huby, M. Iwashima, A. Weiss, and S.C. Ley

1651 **Dynamics of β-catenin interactions with APC protein regulate epithelial tubulogenesis.**
A.L. Pollack, A.I.M. Barth, Y. Altschuler, W.J. Nelson, and K.E. Mostov

1663 **Cross talk between adhesion molecules: Control of N-cadherin activity by intracellular signals elicited by β1 and β3 integrins in migrating neural crest cells.**
F. Monier-Gavelle and J.-L. Duband

1683 ADDITIONS AND CORRECTIONS

1685 AUTHOR INDEX FOR VOLUME 137

1695 SUBJECT INDEX FOR VOLUME 137